

Hydrofect EHP

Efficacy Claims

Use dilution: 1:32 (30 mL product + water to make 1 L of solution).

General direction: Pre-clean heavily soiled surfaces. Apply use-solution so surfaces remain visibly wet for the required contact time. Allow to air dry unless otherwise specified.

Disinfection - 1 MINUTE CONTACT TIME

VIRUS

Hepatitis B Virus (HBV) [Strain 9/1/15, Hepadnavirus Testing Inc.]

Hepatitis C Virus (HCV) [Strain NADL, ATCC VR-1422]

HIV-1 [Strain IIIB]

Influenza A virus H3N2 [Strain A/8/68, ATCC VR-544]

Norovirus [Strain F9, ATCC VR-782]

Respiratory Syncytial Virus (RSV) [Strain Long, ATCC VR-26]

Rhinovirus type 37 [Strain 151-1, ATCC VR-1607]

Rotavirus [Strain WA, ATCC VR-2018]

SARS-Related Coronavirus 2 (SARS-CoV-2)

[Cause of COVID-19] [Strain 1/202, BEI Resources NR-52281]

ANIMAL VIRUSES

Avian influenza A (H7N9) [CDC # 2013759189]

Feline calicivirus [ATCC VR-782]

Disinfection - 2 MINUTE CONTACT TIME

BACTERIA

Pseudomonas aeruginosa [ATCC 15442]

Salmonella enterica [ATCC 10708]

Staphylococcus aureus [ATCC 6538]

Acinetobacter baumannii [ATCC BAA-1709]

Escherichia coli [ATCC 11229]

Klebsiella aerogenes [ATCC 13048]

Klebsiella pneumoniae [ATCC 13883]

Methicillin Resistant Staphylococcus aureus [MRSA] [ATCC 33592]

Streptococcus pneumoniae [ATCC 6305]

Disinfection - 5 MINUTE CONTACT TIME

ANIMAL VIRUSES

Canine parvovirus [Strain Cornell-780916-80, ATCC VR-2017]

Disinfection - 10 MINUTE CONTACT TIME

FUNGI

Trichophyton interdigitale [athlete's foot fungus] [ATCC 9533]

Non-Food Contact Sanitization

1 MINUTE CONTACT TIME

Klebsiella aerogenes [ATCC 13048]

Staphylococcus aureus [ATCC 6538]

Soft Surface Sanitization

1 MINUTE CONTACT TIME

Klebsiella aerogenes [ATCC 13048]

Staphylococcus aureus [ATCC 6538]

